Sectt. H-27—45,006—19-10-39.

(19 -) Department.

SERIES.

G.O. No. 1775

Dated 2-1-8 '40.

[Despatch Abstract.]

BUILDINGS - Bellary - Head Quarters Hospital - Provision of water meter to the pipe line leading to Nurse's quarters - Expenditure of Rs.38-6-0 - Approved.

C.F. 80.

Education and Public Health **DEPARTMENT.**

Received ..... 19 . *Registered* 19758 ..... 19 .

ASST. SECRETARY TO GOVT. 10 MAY 1940 EDUCATION AND PUBLIC HEALTH'S DEPT.

Subject.

Buildings - Bellary - provision - water meter to the pipe line leading to Nurses' quarters - Headquarters Hospital.

ENCLOSURES.
No. .....
.....
Spare copies.....

In R.No. 13402 General/38

Station Madras, *Dated the* 9th May 1940.

From (Name) Major-General N. M. Wilson, C.I.E., O.B.E., K.H.S., I.M.S.,
(Designation) Surgeon-General with the Government of Madras.

To The Secretary to the Government of Madras,
Education and Public Health Department.

Sir,

I have the honour to forward herewith for the administrative approval of Government an estimate amounting to Rs.45/- for providing water-meter to the pipe line leading to the Nurses' quarters of the Headquarters Hospital, Bellary. The estimate approved in June 1938 by the then Surgeon-General was forwarded to the Executive Engineer who has already executed the work. The Accountant-General has objected to the execution of the work without obtaining the administrative approval of Government, under para.440 of the P.W.D. Code, as the quarters occupied by the Nurses are rent free, and the provision of meter for the building is an improvement which

which involves additional capital expenditure. I therefore request that the Government may be pleased to accord sanction for the work already executed by the Public Works Department.

I have the honour to be,

Sir,

Your most obedient servant,

T. V. Rajamanickam 9/5

Personal Assistant

for Surgeon-General with the Government of Madras.

C.R.P/8-5-40

E&PH

PWD U.O.

E&PH U.O. 19758-1D2 P&

11.5.40

10.5.40

11/5

SECRETARY TO GOVERNMENT
C
13 MAY 1940
2632
PUBLIC WORKS DEPT.

3

P.W. Dept

Endt No. 2632 C/40-1 dt 27-5-40.

Buildings - Bellary - Provision of water meter to the pipe line leading to nurses' quarters attached to the Head qrs hospital -

Refce from S. G. No. 3n.R. 13402 gl/38 dt 9-5-40

The C.E(G B & R) is requested to report the circumstances under which the work was executed without the sanction of Govt

23/5
23.5.40.

31/27/5

To

The C.E.(G.B & R)
(with C.F. in original to be returned)

C.F

C.F. 30.

Education and Public Health **DEPARTMENT.**

Received 12 JUL 1940 19 . *Registered* 28175 19 .

Subject. E

Buildings - Bellary - Provision of water meter to the pipe lines leading to nurses quarters - Headquarters Hospital -

ENCLOSURES.
No.
Spare copies

In.R. No. 13402 General/1940.

Station Madras, *Dated the* 11th July 19

From (Name) Major-General [illegible], I.M.S.,
(Designation) Surgeon-General with the Govt. of Madras,

To The Secretary to the Government of Madras,
Education and Public Health Department.

Sir,

Ref:- This office letter In. R. No. 13402 G/38 dated 9-5-40.

I have the honour to enquire when orders of Government on the letter quoted above may be expected to be received.

I have the honour to be,
Sir,
Your most obedient servant,

Personal Assistant
for Surgeon-General with the Govt. of Madras.

R.G.11-7.

G.O 19758-1D2 PH, 11-5-40.

11.7.40

r 6

3

2

E&P..

May be sent to P.W.D U.O.

in continuation of this Depts

U.O No. 19758-1 D2 P.H. dt 11.5.40.

SECRETARY TO GOVERNMENT
C
15 JUL 1940
3713
PUBLIC WORKS DEPT.

NG
12.7.40.

Interim reply may be forwarded to

Supdg. Engr.

16/7
13.7.40

13/7

P.W.D. no

13/7

E&PH U.O 19758-2 D2 PH
13.7.40.

d 7

P. W. Deptt

Memo no. 2632 C/40-2 dy

Buildings - Bellary - Provision of water meter to the pipe line leading to Nurses quarters attached to the Head Qr Hospital.

Ref~~ee correspondence ending~~ ~~with~~ letter from the S. G. no. Dn. R. 13402 G/C/1940 dy 11.7.40

The S. G. is informed that the matter has been referred ~~is under the Consideration of G~~ to the C. E & that his reply is awaited.

16/7

16/7

To

The S. G.

p5 and 4 ~~p2 C.F.~~

Note: The matter has been referred to the C.E. (by B&R) on ~~vide~~ 27.5.40. He is being reminded - vide reminder below.

2/16/7

16/7

p3 C.F and

(Reply since received - vide p 9 infra)

P.T.O.

C.F. 30.

Public Works **DEPARTMENT**

TO GOVERNMENT
18 JUL 1940
3753
PUBLIC WORKS DEPT.

Received ..... 19 . *Registered* ..... 19 .

Subject. Buildings - Bellary - Provision of water meter to the pipe line leading to Nurses' quarters attached to the Headquarters Hospital.

Ref:- Public Works Department Endorsement No. 2632 C/40-1 dated 27th May 1940.

Enclosures.
No. .....
.....
Spare copies .....

No. 1730 Wks./40.-2

Station Chepauk, Madras, *Dated the* 16th July 1940. 19 .

From (Name) H. R. Dogra, Esq., B.Sc.,
(Designation) Chief Engineer, P.W.D., General, Buildings & Roads.

To The Secretary to the Government of Madras,
Public Works Department.

Sir,

I forward herewith copies of the letters noted in the margin explaining the circumstances under which the abovementioned work was executed without obtaining the sanction of the Government. In the circumstances reported by the Executive Engineer and in view of the instructions issued by the Superintending Engineer, the action of the Executive Engineer for having carried out the work without statisfying himself before executing

---

Bellary Division Executive Engineer's letters Bo. 835 SE dated 2-7-40 and 1994 G dated 4-6-1938 and Superintending Engineer's letter No. 889 W dated 7/9th July 1940.

executing the same that the estimate therefore had been administratively approved by the Government, may be condoned by the Government.

The Division Office Manager and Accountant should have pointed out the omission to the Executive Engineer before the work was put in hand on receipt of the estimate from the District Medical Officer. I am asking the Superintending Engineer to obtain the Accountant's explanation and on its receipt necessary action will be taken.

2. In this connection I may also mention that the Medical Department is not also entirely free from blame. When forwarding the estimate for the work to the District Medical Officer, the Executive Engineer specifically asked that Officer to obtain the administrative approval of the competent authority to the estimate. In spite of of this specific request of the Executive Engineer, the District Medical Officer returned the estimate to the Executive Engineer after obtaining only the countersignature of the Surgeon General to the estimate. The circumstances under which the estimate was returned only countersigned are not known. As the Nurses' quarters under reference are rent free, the Medical Department should have been aware that the administrative approval of the Government was necessary to the estimate in question with reference to para 440 of the Madras P.W.D. Code and takennecessary action to obtain such approval before returning the estimate to the Executive Engineer.

3. The Surgeon General's letter and the estimate for Rs.45/- received with the Government Endorsement are herewith returned.

for Chief Engineer, P.W.D.

Encls:-
Surgeon General's letter In.R.No.1340-Genl /38 dated 9-5-40 (in original)
An estimate for Rs.45/- in 1 sheet (in original)
Copies of Superintending Engineer No.889 W dated 7/9-7-40.
Executive Engineer's letters No.835 SE dated 2-7-40 & 1994 G dated 4-6-40.

CRS./16-7-40.

Copy of letter from the Superintending Engineer, Bezwada Circle, No. 889 W/363 A, dated 7/9th July 1940, to the Chief Engineer, P.W.D., General, Buildings and Roads.

Sub:- Buildings - Bellary - Provision of water meter to the pipe line leading to Nurses-quarters attached to the Head quarters Hospital.

Your Endorsement No.1730 Wks/40-1, dated 31st May 1940.

I submit herewith a copy of the Bellary Division Executive Engineer's letter No.835/ SE., dated 2nd July 1940 with its enclosures for information. In the circumstances reported by the Executive Engineer, I request that the Government may please be addressed in the matter to ratify his action. The Executive Engineer is being instructed to see that such irregularities will not occur in future.

ENCLOSURE.

Letter No.835 SE, dated 2nd July 1940 from Sri D.P. Jog, B.E., I.S.E., Executive Engineer, Bellary Division, Bellary to the Superintending Engineer, Bezwada Circle.

Your Endorsement No.610 B/363.A dated 7th June 1940 regarding Buildings - Bellary - Provision of water meter to the pipe line leading to Nurses' quarters attached to the Headquarters Hospital.

In enclosing herewith a copy of this office No.1994-G., dated 4th June 1938, I have to state that the estimate for the above work was forwarded to the district Medical Officer, Bellary with a request to obtain the administrative approval of the competent authority. The District Medical Officer returned the estimate in his No.1517-38/23-6-1938 after obtaining the countersignature of the Surgeon-General to the Government of Madras. On receipt of the estimate from the District Medical Officer the estimate was sanctioned without noticing that the sanction of Government is necessary, the omission is very much regretted.

Letter No.1994-G., dated 4th June 1938 from the Executive Engineer, Bellary Division to the District Medical Officer, Bellary.

Sub:- Government headquarter hospital, Bellary, fixing up a water meter

to

to Nurses quarters to regulate excess water consumption

Estimate Rs.45/- forwarding the - ------

I forward herewith an estimate amounting to Rs.45/- for the said work cited above for obtaining the administrative approval of the competent authority and return to my sanction.

Free allowance for each of the Nurses will be taken/gallons per head per day and anything over this will be charged for.

P.W. Dept

Memo No. 26322/40-2 dt 26-7-40

Buildings - Bellary - Head Qr Hospital - Provision of water meter to the pipe line leading to Nurses' quarters -

Ref: from the C.E. (G. B & R) No. 1730 Wks/40-2 dt 16-7-40

To

The C.E. (G. B. & R)

The C. E. (G. B. & R.) is requested to report the actual expenditure on the above work.

25/7

25/7

Note. As the work has already been executed the actual expenditure may be ascertained, so that approval may be given for the actual amount spent.

25/7

25/7

p 9 C.F.

b1 C.F.

15

~~PROCEEDINGS~~ / ~~MEMORANDUM~~ OF THE Chief Engineer, P.W.D. General, Buildings & Roads.

Post Box No. 410 *Telegraphic Address* Quyadamica.

Name H.R. Nogra, Esq., B.Sc.

No. 1730 Wks, *dated* 5th August 1940. 19
40-5

Short title



READ—the following:—

From the Executive Engineer, Bellary Division, No. 2396 G/B.54(22) dated 1st August 1940.

Sub:- Buildings - Bellary - Headquarters Hospital - Provision of water meter to the pipe-line leading to Nurses' quarters.

The actual expenditure incurred on the work is Rs. 68-6-0 and completion report for the same was sent in October 1938.

Copy submitted to Government with reference to their Memorandum No. 2632 G/40-5 dated 26th July 1940.

for Chief Engineer, P.W.D.

To the Secretary to Government,

Public Works Department.

CRS./5-8-40.

ESTIMATE FORM—Abstract.

Item number. (1)	Quantity. (2)	Description of wo. (3)	Rate. (4)	Per (5)	Amount (6)	Total. (7)
					Rs.	Rs.
1)	10	S[illegible]	(Dry Runner Type ½ diar. F.O.R. Madras		23	
2)		P[illegible]			7	
					12	
					3	

Contd est No E.1140 dt 15.7.37 Page 6.

Sanctioned for Rs 45/(Rupees Forty five only) and Registered as D.R. No 48 By/38.39

Dt/ 29-6-38

Executive Engineer,
Bellary Division.

HE 28/6/38

G 28/6

OFFICE

Dt/ 1/6/38

Executive Engineer
Bellary Dn

HE 27/5/38

G 27/5

Countersigned

H. E. Short 16/6/38
Lt-Col.
Major-General, I.M.S.,
Offg. Surgeon-General with the Government of Madras.

G. Sundaresaiah
H E Bellary
21/5/38

Countersigned
Em Scott
Major I.M.S.
Dist Med Officer Bellary

8/6/38

DR No 48/B1

P.W.D. 33-39 (Outfit) 20,



CIRCLE— Bellary

DIVISION—

DISTRICT—

TALUK (OR ESTATE IN CASE OF ESTATE WORKS).

ESTIMATE FORM—Abstract.

Financial head— 50. Civil Works

Budget head— Ordinary Accts

Departmental head— original works

Main head— } Medical.
Sub-head— } Hospitals and Dispensaries

Miscellaneous

Project of which the work forms part— .

Section— Bellary

Name of work— Construction of Out Patients Block with Pucca Terrace Roofing and Out Patients Latrines and Out Patients Drainage to the Hospital at Bellary.

Amount of Estimate, Rs. 4151.

To be carried out by— Dept.

REFERENCES.

C.F. 16.

P.W. Dept.

DRAFT FOR APPROVAL.

Date. Initials.

SUBJECT :—

Buildings. Bellary - Head qrs Hospital - Provision of water meter to the pipe line leading to Nurses' quarters - Expr of Rs 38/6 - Approved.

When received for fair copying ..

When copied ..

When examined..

When signed ..

When despatched.

READ AGAIN _____, dated _____ 19____

" " _____ " _____ 19____

READ *ALSO* :—

C. No. 2632 C/40 From the S.G. in R. 1B402/38 No. _____, dated 9-8- 1940

" _____ " C.E. (G.B & R.) " 1730 Wks/40-2 16-7-1940
2632 C/40-2 " 26-7-40

" _____ To From " " 1730 Wks/40-5 dt 5-8-1940

Order ~~Resolution~~ Ms. No. 1775, dated 21-8- 1940

In the circumstances reported the Govt approve the expr of Rs 38/6 (Rupees thirty eight and annas six only) incurred in 1938 on the provision of water meter to the pipe line leading to the nurses' quarters attached to the Head Quarters Hospital, Bellary.

To

The S.G. through E & P.H.

" C.E. (G.B & R.)

" A.G., Madras, ~~through Fin.~~

12/8 Asst 13/8

P.W. No. 2632 C/40-1
14.8.40.

Note. The draft may issue after perusal by Finance.

12/8 Asst 13/8

ASSISTANT SECRETARY TO GOVERNMENT
15 AUG 1940
FINANCE DEPT.

29876

2

Fwi (ET)

The draft order may be perused and the case returned to the P.W.D.

16-8-40

19/8

PWD.

D.O. No. 29876 ET-I
19.8.40.